W15L100-PTA3-ME, 15.6-inch Medical Display

A Medically Certified Display for all healthcare needs

W15L100-PTA3-ME is a multi-touch chassis display with a set of features designed to provide high quality image reproduction and on intuitive touch experience while following the standards and safety of a sterile healthcare environment.

The display features a 15.6" Panel with projected-capacitive multi-touch in a 1920 x1080 resolution. It is medically certified for use in healthcare environments with its IEC 60601 certification. The W15L100-PTA3-ME is a high quality display solution for the viewing of medical data and imaging.



Highlights

- 15.6" 1920 x 1080 Resolution Display
- Projected Capacitive Multi-touch
- VGA input and HDMI input
- Stylish and elegant design
- IEC 60601 Medically Certified

Order Information		
W15L100-PTA3-ME	Basic	





W15L100-PTA3-ME, 15.6-inch Medical Display

A Medically Certified Display for all healthcare needs

15.6" TFT 1920 x 1080 300 cd/m2 (tvp.)	Input Ports	1 x VGA
700 : 1 (typ.) -85~85(H); -85~85(V) 16.2M Projected Capacitive Touch	OSD Membrane Speaker	1 x HDMI 1 x Audio 1 x USB for touch Buttons at rear side 2 x 1 Watt speaker
	Accessories	
12V DC 2.5mm, with External AC to DC Adapter. Complies with Level VI efficiency standard 10W typical, normal operation	Standard Accessories	12V DC in Adapter HDMI cable VGA cable USB cable for touch
erations	Certification	
0°C to 50°C 50,000 hours Ation VESA Mount (75 x 75, 100 x 200mm) 387.8 x 232.9 x 384 (mm) Back cover color White Plastic housing	Testing and Certificates	 IEC 60601-1:2005 + A1:2015 (Ed. 3.1) IEC 60601-1-6:2010 + A1:2013 (Ed. 3.1) IEC 62366:2007 + A1:2014 (Ed. 1.1) ANSI/AAMI ES60601-1:2005/ A1:2012and C1:2009/(R)2012and A2:2010/(R)2012 CAN/CSA-C22.2 No.60601-1:14 EN60601-1-2 (Ed. 4.0) EN55032/EN55024, FCC part 15B EN60950-1
	16.2M Projected Capacitive Touch 12V DC 2.5mm, with External AC to DC Adapter. Complies with Level VI efficiency standard 10W typical, normal operation erations 0°C to 50°C 50,000 hours htion VESA Mount (75 x 75, 100 x 200mm) 387.8 x 232.9 x 384 (mm) Back cover color White	16.2M Speaker Projected Capacitive Touch Accessories 12V DC 2.5mm, with External AC to DC Adapter. Standard Accessories Complies with Level VI efficiency standard Standard Accessories 10W typical, normal operation Certification 0°C to 50°C Testing and Certificates 50,000 hours Testing and Certificates ttion VESA Mount (75 x 75, 100 x 200mm) 387.8 x 232.9 x 384 (mm) Back cover color White

Drawing



